

CTiVd Primer and Control Set - 100 Reactions

Product # EP50510

Component	Product # EP50510 (100 Reactions)
CTiVd Primer Mix	3 x 70 µL
CTiVd Positive Control	3 x 50 µL
Nuclease-Free Water	1.25 mL

Applications

Primer and control sets for *CTiVd* detection using either:

- End-Point RT-PCR
- Quantitative RT-PCR (SYBR Green)

Storage Conditions and Product Stability

Store all the components at -20°C upon arrival.

Precautions and Disclaimers

This product is designed for research purposes only. It is not intended for human or diagnostic use.

Procedures

Recommended Reaction Conditions:

- CTiVd Primer Mix (2 µL per 20 µL RT-PCR reaction)
- CTiVd Positive Control (2-8 µL per 20 µL RT-PCR reaction)

Description

The positive control is a cloned partial *CTiVd* IVT. The expected size of the *CTiVd* band is 224 bp on 1.4% agarose gel. For SYBR Green PCR the expected melting temp (°C) of the positive control is 89.5°C.

Recommended PCR or SYBR Green PCR Assay

PCR Cycle	Step	Temperature	Duration
<i>Cycle 1</i>	Step 1	50°C	30 min
<i>Cycle 2</i>	Step 1	95°C	3 min
<i>Cycle 2 (40x)</i>	Step 1	94°C	15 sec
	Step 2	60°C	30 sec
	Step 3	72°C	45 sec
<i>Cycle 3 (for End-Point RT-PCR)</i>	Step 1	72°C	5 min
<i>Cycle 3 (for SYBR Green PCR)</i>	Step 1	65°C to 95°C	Increment 0.5°C for 5 sec
<i>Cycle 4</i>	Step 1	4°C	∞

Technical Support

Contact our Technical Support Team between the hours of 8:30 and 5:30 (Eastern Standard Time) at (905) 227-8848 or Toll Free at 1-866-667-4362. Technical support can also be obtained from our website or through email at techsupport@norgenbiotek.com.