

***Mycoplasma* TaqMan Probe/Primer and Control Set - 100 Reactions**

Product # TM33110

Component	Product # TM33110 (100 Reactions)
Mycoplasma Primer & Probe Mix	3 x 70 µL
Mycoplasma Positive Control	3 x 50 µL
Nuclease-Free Water	1.25 mL

Applications

TaqMan Probe/Primer and Control Set for *Mycoplasma* detection using real-time PCR based on the use of TaqMan® technology

Storage Conditions and Product Stability

Store all the components at -20°C upon arrival.

Precautions and Disclaimers

This product is designed for research purposes only. It is not intended for human or diagnostic use.

Customer-Supplied Reagents and Equipment

Appropriate Real-Time PCR Instrument with FAM and HEX filter channel

Procedures

Recommended Reaction Conditions:

- Mycoplasma Primer Mix (2 µL per 20 µL PCR reaction)
- Mycoplasma Positive Control (2-8 µL per 20 µL PCR reaction)

Description

The positive control is a cloned partial *Mycoplasma* DNA.

Recommended TaqMan PCR Assay

PCR Cycle	Step	Temperature	Duration
<i>Cycle 1</i>	Step 1	95°C	3 min
	Step 2	60°C	30 sec
<i>Cycle 2 (40x)</i>	Step 1	95°C	15 sec
	Step 2	60°C	30 sec

Technical Support

Contact our Technical Support Team between the hours of 8:30 and 5:30 (Eastern Standard Time) at (905) 227-8848 or Toll Free at 1-866-667-4362. Technical support can also be obtained from our website or through email at techsupport@norgenbiotek.com.